



EAST INDIA PETROLEUM PVT. LTD.
www.eastindiapetro.com CIN : U23209 AP1994PTC017623

Regd. Office & Terminal

Sy. No. 1, Exim Park Area, Ph : +0891 2868100
Opp. Naval Dockyard, Malkapuram Post, e-mail : ro@eastindiapetro.com
Visakhapatnam - 530 014, INDIA

Ref: EIPL/MOEF/2026-27/29/3

Date: 01.06.2026

The Director (S),
Regional Office - South Eastern Zone
Ministry of Environment, Forests and Climate Change,
Government of India,
1st and 2nd floor, HEPC Building
No.34, Cathedral Garden Road,
Nungambakkam,
Chennai - 600034.
E-mail: roefccc1@gmail.com
Tel: 044- 28222325.

Dear Sir,

Sub: Conversion and Extension of existing 10" LPG pipeline to Petroleum, Oil and Lubricants (POL) service along with associated facilities from Visakhapatnam Port Trust berths (Oil Wharf) to the existing terminal of M.s East India Petroleum Pvt Ltd (EIPL), Visakhapatnam, Andhra Pradesh – CRZ clearance - regarding.

Ref: CRZ clearance letter no: F.No. 11-48/2022-IA.III dated: 28.02.2023.

With reference to the above, please find attached six monthly compliance reports for the period of October 2025 to March 2026.

For your kind perusal and records please.

Thanking you,
Yours faithfully,
For East India Petroleum Pvt. Ltd.,

S F H Sharief.
General Manager-Projects & Regulatory
Encl: As above



Corporate Office :

D.No. 6-3-871, Snehalatha, Ph : +91 40 6602 5555,
Greenlands Road, Begumpet, Fax : +91 40 6602 5533
Hyderabad-500 016. TELANGANA E-mail : ho@eastindiapetro.com

**Compliance of Conditions vide CRZ approval dated 28.02.2023 Ref: F.No.11-48/2022-IA.III
for the period of October 2025 - March 2026**

01-06-2026

SI No	Conditions as per EC	Compliance as on date for the period of 1st October 2025 - 31st March 2026
A	Specific Conditions	
i)	All construction shall be strictly in accordance with the provisions of the CRZ Notification, 2011, as amended from time to time	Noted.
ii)	Any temporary physical infrastructure setup and excavated material during laying of pipelines shall not be dumped in water bodies or adjacent areas and the site shall be restored to its original condition after completion of construction of work.	Noted.
iii)	No storage reservoir for sea water shall be permitted and only pipelines conveyance system shall be installed.	Noted.
iv)	No groundwater shall be extracted within the CRZ area to meet the water requirements during the construction and/or operation phase of the project.	Noted.
v)	Permanent labour camp, machinery and material storage shall not be set up in the CRZ area	Noted.
vi)	The prior approval from PESO should be obtained before commencement of the project.	Complied
vii)	All the conditions stipulated by the Andhra Pradesh Coastal Zone Management Authority for CRZ clearance 2019 vide its letter no. 244/CRZ/IND/2020 dated 25/11/2022 and commitments made by the PP before the APCZMA and EAC shall be followed in letter and spirit	Noted.
viii)	All necessary clearance from the concerned authority, as may be applicable should be obtained prior to commencement of the project or activity	Noted & complied
B.	General Conditions.	
i)	Management of solid waste in accordance with solid waste management rules, 2016 shall be strictly implemented	Noted
ii)	Consent to Establishment' and /or 'Consent to Operate shall be obtained from State pollution control board under the provisions of Air (prevention and Control of Pollution) Act, 1981 and / or the water (prevention and control of pollution) Act, 1974, as may be applicable.	Noted.
iii)	Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of the people, only in approved sites with the approval of Competent Authority.	Not applicable
iv)	All liquid waste arising from the proposed development will be disposed of as per the norms prescribed by Central / State pollution Control Board. There shall not be any disposal of untreated effluent into the sea / coastal water bodies. It shall be ensured that the wastewater generated is treated in the STP as committed by the project proponent. The treated waste water shall be reused for landscaping, flushing and / or HVAC cooling purposes etc. within the development. The project proponent should also make alternate arrangement for situation arising due to malfunctioning of STP. There shall be regular monitoring of standard parameters of the effluent discharge from STP under intimation of the SPCB.	Noted. 

v)	Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board	Noted.
vi)	A copy of the clearance letter shall be uploaded on the website of the concerned State Coastal Zone Management Authority/State pollution Control Board. The Clearance letter shall also be displayed at the Regional office, District Industries center and Collector's Office/ Tehsildar's office for 30 days.	Noted and complied
vii)	A six monthly monitoring report shall need to be submitted by the project proponent to the concerned Regional Office of this Ministry regarding the implementation of the stipulated conditions.	Noted
viii)	The Ministry of Environment, Forest & Climate Change or any other Competent Authority may stipulate any additional conditions or modify the existing ones, if necessary in the interest of environment and the same shall be complied with.	Noted
ix)	Full co-operation shall be extended to the officials from the Regional Office of MoEF&CC, during monitoring of implementation of environmental safeguards stipulated. It shall be ensured that documents/data sought pertinent is made available to the monitoring team. A complete set of all the documents submitted to MoEF&CC shall be forwarded to the concerned Regional Office of MoEF &CC.	Noted
x)	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Ministry.	Noted
xi)	The Ministry reserves the right to add additional safeguards measures subsequently, if considered necessary and to take action to ensure effective implementation of the suggested safeguards measures in a time bound and satisfactory manner, including revoking of the environment clearance under the provisions of the Environmental (protection) Act, 1986, for non-compliance.	Noted
xii)	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Coservation Act, 1980 and Wildlife (protection) Act, 1972 etc. shall be obtained, as applicable by project proponent from the respective Competent Authorities.	Noted and complied
xiii)	The project proponent should advertise in at least two local Newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded CRZ clearance and copies of clearance letters are available with the State Pollution Control Board (SPCB) and may also be seen on the website of the Ministry of Environment, Forest and Climate Change at http://parivesh.nic.in/ . The advertisement should be made within Seven days from the date of receipt of the clearance letter and a copy of the same should be forwarded to the concerned Regional Office of this Ministry.	Noted and complied 
xiv)	A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban Local Body and the Local NGO, if any from whom suggestions/representation, if any were received while processing the proposal.	Noted and complied
xv)	The Proponent shall upload the status of compliance of the stipulated conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF&CC, the respective Zonal Office of CPCB and the SPCB.	Noted and complied

xvi)	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall be also be put on the website of the project proponent along with the status of compliance of clearnce conditions and shall also be sent to the respective Regional Office of the Ministry by e-mail.	Noted
------	---	-------

